

Work Order ID 70432

Wednesday, June 08, 2011 8:09:04 AM



Page 1

Ship Friday

Item ID: D3213-041B

Accept



Setup Start



Revision ID: PRELIM

Item Name: Door Assembly

Stop



Start Date: 6/9/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/10/2011 Req'd Qty: 1.00



Customer:

PRELIMINARY ISSUE

Reference:

Approvals:

Process Plan: *mk*Date: *11-06-08*

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start



Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3213

PBI

B

100

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1-Assemble as per Dwg D3213 Transfer drill hinge using DT8470 & DT9520

Identify as D3213-041

110

0.00



QC5- Inspect part completeness to step on W/O

QC

Memo

0.00

Quality Control

120

0.00



Black Sandtex(Ref:4.3.5.7) per QSI005 4.3

Powdercoat

Memo

0.00

Powder Coating

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

2:00
320
*2:30**0.00**ES 11/06/09**IX Ø m.f 11/06/09*

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 70432

Wednesday, June 08, 2011 8:09:04 AM



Page 2

Item ID: D3213-041B

Accept



Setup Start



Revision ID: PRELIM

Item Name: Door Assembly

Stop



Start Date: 6/9/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/10/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

1 BR 11-6-9.

140

Small Fab

0.00



Small Fab

Memo

0.00

Small Fab

Assemble as per Dwg D3213

9/5/06/10 (2)

150

QC5- Inspect part completeness to step on W/O

0.00 - inspected to PB1



QC

Memo

0.00 Dry only

Quality Control

8/10/10 (40)

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 70432

Wednesday, June 08, 2011 8:09:04 AM



Page 3

Item ID: D3213-041B

Accept



Setup Start



Revision ID: PRELIM

Item Name: Door Assembly

Stop



Start Date: 6/9/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 6/10/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 	Identify as per dwg & Stock Location: _____	0.00							
Packaging Packaging	Memo	0.00							
170 	QC21- Final Inspection - Work Order Release	0.00							
QC Quality Control	Memo	0.00							

11/6/14

11/6/15

MF 11-06-14

POSITIVE RECALL

EFFECTIVE 11/06/08

AUTH

RELEASED

DATE 11.06.14

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, June 08, 2011 8:09:00 AM

Page 1

Work Order ID: 70432

Parent Item: D3213-041B

Parent Item Name: Door Assembly






Start Date: 6/9/2011

Required Date: 6/10/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP revA 11.06.07 New issue EC verified by:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D2137  Decal - No Step		Manufactured	No				Each	5.0000		1		6/11/06/10	
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				GA			5						
					68923		5						
D2419  Handle		Manufactured	No				Each	15.0000		1		6/11/06/10	
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				GA			15						
					69732		15						
D2462  Seal		Manufactured	No				f	461.6004		2.4		6/11/06/10	
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				ST404			461.6004						
					48530		461.6004			2.4			
D2728-1  Dart Logo label		Manufactured	No				Each	0.0000		1			
D3161-3  Hinge 15.0"		Manufactured	No				Each	6.0000		1		6/11/06/09	
				<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>				
				ST037			6						
					68895		6			2			

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, June 08, 2011 8:09:00 AM

Page 2

Work Order ID: 70432

Parent Item: D3213-041B

Parent Item Name: Door Assembly

Start Date: 6/9/2011

Required Date: 6/10/2011

Start Qty: 1.00

Required Qty: 1.00

D3213-1 Manufactured No

Each 5.0000

1



Door Panel

Location

Loc Qty

Loc Code

ST232B

5

68906

5

Each

7.0000

1

D3213-3 Manufactured No



Door Panel

Location

Loc Qty

Loc Code

ST232B

7

68907

7

Each

2,456.000

24

MS20470AD4-4 Purchased No



Rivet, Universal Head

Location

Loc Qty

Loc Code

ST139

1818

117423

1818

ST319

638

116188

572

116391

66

Each

3,718.000

1

MS20470AD4-6 Purchased No



Rivet, Universal Head

Location

Loc Qty

Loc Code

ST319

3718

117395

2203

117887

1515

Wednesday, June 08, 2011 8:09:00 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, June 08, 2011 8:09:00 AM

Page 3

Work Order ID: 70432



Parent Item: D3213-041B



Parent Item Name: Door Assembly

Start Date: 6/9/2011

Required Date: 6/10/2011

Start Qty: 1.00

Required Qty: 1.00

NAS1149DN632J

Purchased

No

Each

150.0000

1



Washer

Handwritten signature and date: 6/31/06/10

Location

Loc Qty

Loc Code

ST298

150

116978

150

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



QTY -041B	PART NUMBER	DESCRIPTION
X	D3213-041B	DOOR ASSEMBLY, BLANK
1	D2419	HANDLE
2	D2462-0034	SEAL
1	D2462-0210	SEAL
1	D2728-1	DECAL
1	D2137	DECAL
2	D3161-3	HINGE
1	D3213-1	DOOR PANEL
1	D3213-3	DOOR PANEL
1	AN960JD6	WASHER
24	MS20470AD4-4	RIVET
1	MS20470AD4-6	RIVET

**PRELIMINARY
ISSUE** 11.06.02

DESIGN	40	DART AEROSPACE LTD
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. REV. PB1
MFG. APPR.		D3213 SHEET 2 OF 4
APPROVED		TITLE SCALE
DE APPR.		DOOR ASSEMBLY NTS
DATE	11.06.06	COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3213-3 DOOR PANEL

**PRELIMINARY
ISSUE** 11.06.07

D3213-3 NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 REF. DART SPEC M2024T3S.063
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.39 lbs

DESIGN	47	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. PB1
MFG. APPR.		D3213	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		DOOR ASSEMBLY	NTS
DATE	11.06.06	COPYRIGHT © 2003 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			


W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



QTY -041	PART NUMBER	DESCRIPTION
X	D3213-041	DOOR ASSEMBLY
1	D2419	HANDLE
2	D2462-0034	SEAL
1	D2462-0210	SEAL
1	D2728-1	DECAL
1	D2137	DECAL
2	D3161-3	HINGE
1	D3213-1	DOOR PANEL
1	D3213-3	DOOR PANEL
1	NAS1149DN632J	WASHER (OR AN960JD6)
24	MS20470AD4-4	RIVET
1	MS20470AD4-6	RIVET

70432
RELEASED
2011-06-14

D3213-041 NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "DXXXX-X" AND B/N "BXXXX" PER QSI 044 6.6
- 7) WEIGHT: 1.49 lbs
- 8) AFTER POWDER COAT INSTALL D2137 DECAL, D2419 HANDLE, AND D2462 SEAL
FOLD AND FASTEN D2419 TO FORM 2.5" LONG HANDLE

B	FORMAT TO CURRENT STD: ADD D3213-041B	MB	11.06.06
A	REASON: PAR11-109.	CP	03.09.03
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.06.06		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3213
TITLE DOOR ASSEMBLY
REV. B
SHEET 1 OF 4
SCALE
NTS

COPYRIGHT © 2003 BY DART AEROSPACE LTD
THIS DOCUMENT IS HEREBY AND COMPENSATION, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



B D3213-041B DOOR PANEL ASSY

D3213-041B NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDEK" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "DXXXX-X" AND B/N "BXXXX" PER QSI 044 6.6
- 7) WEIGHT: 1.49 lbs
- 8) AFTER POWDER COAT INSTALL D2137 DECAL, D2419 HANDLE, AND D2462 SEAL
FOLD AND FASTEN D2419 TO FORM 2.5" LONG HANDLE

QTY -041B	PART NUMBER	DESCRIPTION
X	D3213-041B	DOOR ASSEMBLY, BLANK
1	D2419	HANDLE
2	D2462-0034	SEAL
1	D2462-0210	SEAL
1	D2728-1	DECAL
1	D2137	DECAL
2	D3161-3	HINGE
1	D3213-1	DOOR PANEL
1	D3213-3	DOOR PANEL
1	NAS1149DN632J	WASHER (OR AN960JD6)
24	MS20470AD4-4	RIVET
1	MS20470AD4-6	RIVET

70432

RELEASED
2011-06-14

DESIGN	4P	DART AEROSPACE LTD	
DRAWN	4P	HAWKESBURY, ONTARIO, CANADA	
CHECKED	4P	DRAWING NO.	REV. B
MFG. APPR.	4P	D3213	SHEET 2 OF 4
APPROVED	4P	TITLE	SCALE
DE APPR.	4P	DOOR ASSEMBLY	NTS
DATE	11.06.06	<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRINTED AND REPRODUCED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE RELEASED FOR ANY PURPOSE OR DISCLOSED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




D3213-1 DOOR PANEL

70438
RELEASED
 2011-06-14

D3213-1 NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4
 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209
 REF. DART SPEC M2024T3S.063
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.42 lbs

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3213	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		DOOR ASSEMBLY	NTS
DATE	11.06.06	<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D3213-3 DOOR PANEL

70432

RELEASED
2011-06-13
NH

D3213-3 NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET, 0.063 THICK, PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209
REF. DART SPEC M2024T3S.063
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.39 lbs

DESIGN	47	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	11		
CHECKED	12	DRAWING NO.	REV. B
MFG. APPR.	13	D3213	SHEET 4 OF 4
APPROVED	14	TITLE	SCALE
DE APPR.	15	DOOR ASSEMBLY	NTS
DATE	11.06.06	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	